

| Manufacturer | Model | Size |
|-----------------|-------------|----------------|
| Apollo/Conbraco | 40201A2 | 1/4 |
| Apollo/Conbraco | 40202A2 | 3/8 |
| Apollo/Conbraco | 4020399T | 1/2 |
| Apollo/Conbraco | 40203A2 | 1/2 |
| Apollo/Conbraco | 40204A2 | 3/4 |
| Apollo/Conbraco | 40204TCU | 3/4 |
| Apollo/Conbraco | 40205A2 | 1 |
| Apollo/Conbraco | 40205T2U | 1 |
| Apollo/Conbraco | 40205T2Z | 1 |
| Apollo/Conbraco | 40205TC2 | 1 |
| Apollo/Conbraco | 40205TCU | 1 |
| Apollo/Conbraco | 40206A2 | 1 1/4 |
| Apollo/Conbraco | 40207A2 | 1 1/2 |
| Apollo/Conbraco | 40208A2 | 2 |
| Apollo/Conbraco | 40208A4 | 2 |
| Apollo/Conbraco | 4D-200 | 2 1/2, 3, 4 |
| Apollo/Conbraco | 4D-200U | 2 1/2, 3, 4 |
| Watts | 009M3QT | 3/4 |
| Watts | 009PCQT | 1/2 thru 2 |
| Watts | 009QT | 1/4 thru 2 |
| Watts | 009SSM1PCQT | 2 |
| Watts | 009SSM1QT | 2 |
| Watts | 009SSPCQT | 3/4 thru 2 |
| Watts | 009SSQT | 3/4 thru 2 |
| Watts | 909BB | 2 1/2 & 3 |
| Watts | 909HWQT | 3/4 & 1 |
| Watts | 909M1 | 8 & 10 |
| Watts | 909M1HWQT | 1 1/4 thru 2 |
| Watts | 909M1PCHWQT | 1 1/4 thru 2 |
| Watts | 909M1QT | 1 1/4 thru 2 |
| Watts | 909PCHWQT | 3/4 & 1 |
| Watts | 909PCM1QT | 1 1/4 thru 2 |
| Watts | 909PCQT | 3/4 & 1 |
| Watts | 909QT | 3/4 & 1 |
| Watts | 919AQT | 3/4 thru 2 |
| Watts | 919QT | 3/4 thru 2 |
| Watts | 919ZQT | 3/4 thru 2 |
| Watts | 957 BF | 4 & 6 |
| Watts | 957N | 2 1/2 thru 8 |
| Watts | 957NQT | 2 1/2 thru 4 |
| Watts | 957NQT | 3 & 4 |
| Watts | 957QT | 2 1/2 thru 4 |
| Watts | 957Z | 2 1/2, 3, 4, 8 |
| Watts | 957ZQT | 2 1/2 thru 4 |
| Watts | 967N | 2 1/2 thru 6 |
| Watts | 967Z | 2 1/2, 3, 6 |
| Watts | 990QTFDA | 4 & 8 |
| Watts | 995QT | 1/2 thru 1 1/2 |
| Watts | FAE909HWQT | 1 1/4 thru 2 |
| Watts | FAE909QT | 1 1/4 thru 2 |
| Watts | LF009 | 2 1/2 & 3 |

| Manufacturer | Model | Size |
|--------------|-------------|------------------|
| Febco | LF860U | 1/2 thru 2 |
| Febco | LF880V | 2 1/2 thru 10 |
| Febco | LF880W | 4 thru 10 |
| Febco | LF880WZ | 4 thru 10 |
| Watts | 909 | 2 1/2 thru 10 |
| Watts | 957 | 2 1/2 thru 10 |
| Watts | 967 | 2 1/2 thru 10 |
| Watts | 990 | 4 & 8 |
| Watts | 992 | 4 & 10 |
| Watts | 994 | 2 1/2 thru 6 |
| Watts | 009 | 2 1/2 & 3 |
| Watts | 009M1PCQT | 1 1/4, 1 1/2 & 2 |
| Watts | 009M1QT | 1 1/4, 1 1/2 & 2 |
| Watts | 009M2-FP | 1 thru 2 |
| Watts | 009M2PCQT | 3/4 thru 2 |
| Watts | 009M2QT | 3/4 thru 2 |
| Watts | 009M3-FP | 3/4 |
| Watts | Magnum 40X | 6 |
| Watts | SS009M3QT | 1/4 thru 3/4 |
| Watts | SS009QT | 1 |
| Watts | U009APCQT | 3/4 & 1 |
| Watts | U009AQT | 3/4 & 1 |
| Watts | U009M1APCQT | 1 1/2 & 2 |
| Watts | U009M1AQT | 1 1/2 & 2 |
| Watts | U009M1PCQT | 1 1/4 thru 2 |
| Watts | U009M1QT | 1 1/4 thru 2 |
| Watts | U009M2APCQT | 1, 1 1/2 2 |
| Watts | U009M2AQT | 1, 1 1/2, 2 |
| Watts | U009M2PCQT | 1, 1 1/2, 2 |
| Watts | U009M2QT | 3/4, 1, 1 1/2, 2 |
| Watts | U009PCQT | 1/2 thru 2 |
| Watts | U009QT | 1/2 thru 2 |
| Watts | U009SSPCQT | 3/4 thru 2 |
| Watts | U009SSQT | 3/4 thru 2 |
| Watts | U909HWQT | 3/4 & 1 |
| Watts | U909QT | 3/4 & 1 |
| Watts | U919AQT | 3/4 thru 2 |
| Watts | U919QT | 1 thru 2 |
| Wilkins | 375 | 1/2 Thru 10 |
| Wilkins | 475 | 2 1/2 thru 10 |
| Wilkins | 575 | 3/4, 1, 3, 4, 6 |
| Wilkins | 975 | 8 & 10 |
| Wilkins | 375A | 2 1/2 thru 10 |
| Wilkins | 375AMS | 2 1/2 thru 10 |
| Wilkins | 375AR | 2 1/2 thru 10 |
| Wilkins | 375ARMS | 2 1/2 thru 10 |
| Wilkins | 375ARW1 | 2 1/2 thru 10 |
| Wilkins | 375ARXL | 2 1/2 thru 10 |
| Wilkins | 375AST | 2 1/2 thru 10 |
| Wilkins | 375ASTMS | 2 1/2 thru 10 |
| Wilkins | 375ASTR | 2 1/2 thru 10 |

REDUCED PRESSURE PRINCIPLE ASSEMBLIES CONT.

| Manufacturer | Model | Size |
|--------------|---------------|----------------|
| Watts | LF009M2PCQT | 1 & 2 |
| Watts | LF009M2QT | 1 thru 2 |
| Watts | LF009M3PCQT | 3/4 |
| Watts | LF009M3QT | 3/4 |
| Watts | LF009PCQT | 1/2 |
| Watts | LF009QT | 1/2 |
| Watts | LF909 | 2 1/2 thru 6 |
| Watts | LF909M1 | 8 & 10 |
| Watts | LF909M1PCQT | 1 1/4 thru 2 |
| Watts | LF909M1QT | 1 1/4 thru 2 |
| Watts | LF909PCQT | 3/4 & 1 |
| Watts | LF909QT | 3/4 & 1 |
| Watts | LF919AQT | 3/4 thru 2 |
| Watts | LF919QT | 3/4 thru 2 |
| Watts | LF919ZQT | 3/4 thru 2 |
| Watts | LFU919AQT | 3/4 thru 2 |
| Watts | LFU919QT | 1 thru 2 |
| Watts | Magnum 40 | 2 1/2, 3, 4, 8 |
| Watts | Magnum 40G | 2 1/2, 3, 4, 8 |
| Watts | Magnum 40GX | 6 |
| Wilkins | 475XLVMS | 2 1/2 thru 10 |
| Wilkins | 575 | 2 1/2 |
| Wilkins | 575 (MOD-III) | 1 1/4 thru 2 |
| Wilkins | 575A | 3/4 & 1 |
| Wilkins | 575M10 | 10 |
| Wilkins | 575M8 | 8 |
| Wilkins | 975 | 3/4 thru 6 |
| Wilkins | 975A | 3/4 thru 2 |
| Wilkins | 975BMS | 2 1/2 thru 10 |
| Wilkins | 975MS | 2 1/2 thru 10 |
| Wilkins | 975XL | 1/4 thru 2 |
| Wilkins | 975XL2 | 1/4 thru 2 |
| Wilkins | 975XL2BMS | 3/4 thru 2 |
| Wilkins | 975XL2MS | 3/4 thru 2 |
| Wilkins | 975XL2SE | 3/4 thru 2 |
| Wilkins | 975XL2SEU | 3/4 thru 2 |

| Manufacturer | Model | Size |
|--------------|-----------|------------------|
| Wilkins | 375ASTRMS | 2 1/2 thru 10 |
| Wilkins | 375ASTRW1 | 2 1/2 thru 10 |
| Wilkins | 375ASTW1 | 2 1/2 thru 10 |
| Wilkins | 375AW1 | 2 1/2 thru 10 |
| Wilkins | 375AXL | 2 1/2 thru 10 |
| Wilkins | 375B | 1/2 thru 2 |
| Wilkins | 375MS | 2 1/2 thru 10 |
| Wilkins | 375ST | 1/2 thru 1 |
| Wilkins | 375W1 | 2 1/2 thru 10 |
| Wilkins | 375XL | 1/2 Thru 10 |
| Wilkins | 375XLB | 1/2 thru 2 |
| Wilkins | 375XLMS | 2 1/2 thru 10 |
| Wilkins | 475MS | 2 1/2 thru 10 |
| Wilkins | 475ST | 4 thru 10 |
| Wilkins | 475STR | 4 thru 10 |
| Wilkins | 475V | 2 1/2 thru 10 |
| Wilkins | 475VMS | 2 1/2 thru 10 |
| Wilkins | 475XL | 2 1/2 thru 10 |
| Wilkins | 475XLMS | 2 1/2 thru 10 |
| Wilkins | 475XLV | 2 1/2 thru 10 |
| Wilkins | 975XL2TCU | 1/2 thru 2 |
| Wilkins | 975XL2U | 3/4, 1, 1 1/2, 2 |
| Wilkins | 975XL2V | 3/4 & 1 |
| Wilkins | 975XLBF | 2 |
| Wilkins | 975XLBFSS | 2 |
| Wilkins | 975XLBMS | 3/4 thru 2 |
| Wilkins | 975XLD | 3/4 |
| Wilkins | 975XLDTCU | 3/4 |
| Wilkins | 975XLMS | 3/4 thru 2 |
| Wilkins | 975XLSE | 3/4 thru 2 |
| Wilkins | 975XLSEU | 3/4 thru 2 |
| Wilkins | 975XLST | 3/8 & 1/2 |
| Wilkins | 975XLTCU | 1/2 thru 2 |
| Wilkins | 975XLU | 3/4, 1, 1 1/2, 2 |
| Wilkins | 975XLV | 3/4 & 1 |

SCDHEC

LIST OF APPROVED BACKFLOW PREVENTION ASSEMBLIES

PRESSURE VACUUM BREAKERS (PVB) & SPILL RESISTANT PRESSURE VACUUM BREAKERS (SVB)

PVB's & SVB'S are approved for use when protecting the potable water system from backsiphonage only when a health hazard or non-health hazard is involved. The term "health hazard" shall mean an actual or potential threat of contamination or pollution of a physical or toxic nature to the potable water system or the consumer's potable water system to such a degree of intensity that there would be a danger to health. It is very important to understand that the PVB/SVB is **not** designed for backpressure. Also, the PVB/SVB must be installed 12" above any downstream plumbing.

PRESSURE VACUUM BREAKERS:

| Manufacturer | Model | Size |
|-----------------|-----------|------------------|
| Ames | A200 | 3/4, 1, 1 1/2, 2 |
| Apollo/Conbraco | 4050302 | 1/2 |
| Apollo/Conbraco | 4050402 | 3/4 |
| Apollo/Conbraco | 4050502 | 1 |
| Apollo/Conbraco | 4050602 | 1 1/4 |
| Apollo/Conbraco | 4050702 | 1 1/2 |
| Apollo/Conbraco | 4050802 | 2 |
| Apollo/Conbraco | PVB4A | 1/2 thru 2 |
| Apollo/Conbraco | PVB4V | 1/2 thru 2 |
| ARI | VB-501 | 1/2, 3/4, 1 |
| Febco | 765 | 1/2 thru 2 |
| Febco | 767-FR | 1/2 thru 2 |
| Febco | LF767FR | 1/2 thru 2 |
| Watts | 800CMQT | 1/2 thru 2 |
| Watts | 800M3QT | 1/2 thru 2 |
| Watts | 800M4QT | 1/2 thru 2 |
| Watts | 800MQT | 1/2 & 3/4 |
| Watts | 800QT | 3/4 thru 2 |
| Watts | LF800M4FR | 1/2 thru 2 |
| Watts | LF800M4QT | 1/2 thru 2 |
| Wilkins | 420 | 1/2, 3/4, 1 |
| Wilkins | 710 | 3/4 & 1 |
| Wilkins | 420XL | 1/2, 3/4, 1 |
| Wilkins | 720A | 1/2 |
| Wilkins | 720A | 3/4 thru 2 |

SPILL RESISTANT VACUUM BREAKERS:

| Manufacturer | Model | Size |
|--------------|-----------|------------|
| Watts | 008PCQT | 3/8 thru 1 |
| Watts | LF008PCQT | 3/8 thru 1 |
| Wilkins | 460 | 3/8 thru 1 |
| Wilkins | 460XL | 3/8 thru 1 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

BACKFLOW EQUIPMENT REPRESENTATIVES

| | |
|--|--|
| <u>Conbraco/Apollo</u> Pro Marketing Mr. Jim Moore 110 Corporate Dr., Suite L Spartanburg, SC 29303 864-578-4334/843-340-4784 jmoore@promarketinginc.net | <u>Febco/Flowmatic</u> Lewis Marketing Mr. Bob Buddo 3601-C Woodpark Blvd. Charlotte, NC 28206 704-376-0262 |
| <u>Backflow Direct -Deringer</u> Mr. Brad Scott 3290 Monier Circle #300 Rancho Cordova, CA 95742 916-760-4524 brad@backflowdirect.com | <u>Watts & Ames</u> Smith & Stevenson Mr. Joel Golmont / Mr. Mike Davis P.O. Box 240009 Charlotte, NC 28224 800-225-9825/704-525-3388 |
| <u>BAVCO</u> Mr. Jim Purzycki 20435 South Susana Rd. Long Beach, CA 90810 800-458-3492/310-639-5231 | <u>Wilkins/Zurn</u> Quality Marketing Mr. Chris Wall 1327 Wood Branch Dr, Suite J Charlotte, NC 28273 704-599-9407 |
| <u>ARI</u> McKinney & Assoc. Mr. Michael McKinney 108 Brady Ct. Cary, NC 27511 919-467-9951 | <u>Cash-Acme</u> SNIDER, INC. 3520 Westinghouse Blvd. Charlotte, NC 28273 USA (704) 588-0915 |
| <u>American Backflow Products</u> Mr. Mark Inman 7580-A West Tennessee St. Tallahassee, FL 32303 800-575-9618/850-567-1814 | |

If you should have any questions concerning this list or need any assistance concerning backflow prevention or cross-connection control, please call or write:

Mr. Steve Fox, Cross Connection Control Program Coordinator
 SCDHEC / Bureau of Water
 2600 Bull Street
 Columbia, SC 29201
 Phone: 803-898-4426
 Email: foxsc@dhec.sc.gov

SCDHEC backflow web page:

<http://www.scdhec.gov/environment/WaterQuality/DrinkingWater/CrossConnectionControl/>